














01RIVER ROCK



NENN8583-001

NENN8584-001

NENN8582-001



RIVER ROCK









































of Lon IoAriono	GREENCUARD
Construction	100% Waterproof GeoCore (SPC Composite)
Design	Wood
Plank Length	48 inches
Plank Width	7 inches
Plank Thickness	5mm
Core Thickness	4mm
Texture	Wood Grain Embossed
Sqft/Box	27.87 sq.ft
Wear Layer	12mil
Edge Profile	Micro Bevel
Milling	Click Lock (Rapid Locking System)
Finish	UV Acrylic
Attached Pad	Y(1mm)
Certification	Green Guard Gold / Floorscore
Installation	Floating, Glue Down
Warranty	15 Year Residential / 7 Year Commercial



COASTAL BREEZE









































	600 COLD
Construction	100% Waterproof GeoCore (SPC Composite)
Design	Wood
Plank Length	48 inches
Plank Width	7 inches
Plank Thickness	5mm
Core Thickness	4mm
Texture	Wood Grain Embossed
Sqft/Box	27.87 sq.ft
Wear Layer	12mil
Edge Profile	Micro Bevel
Milling	Click Lock (Rapid Locking System)
Finish	UV Acrylic
Attached Pad	Y(1mm)
Certification	Green Guard Gold / Floorscore
Installation	Floating, Glue Down
Warranty	15 Year Residential / 7 Year Commercial



GRAND OAK











































	COID
Construction	100% Waterproof GeoCore (SPC Composite)
Design	Wood
Plank Length	48 inches
Plank Width	7 inches
Plank Thickness	5mm
Core Thickness	4mm
Texture	Wood Grain Embossed
Sqft/Box	27.87 sq.ft
Wear Layer	12mil
Edge Profile	Micro Bevel
Milling	Click Lock (Rapid Locking System)
Finish	UV Acrylic
Attached Pad	Y(1mm)
Certification	Green Guard Gold / Floorscore
Installation	Floating, Glue Down
Warranty	15 Year Residential / 7 Year Commercial



ECUALYPTUS GARDEN







































	COLD
Construction	100% Waterproof GeoCore (SPC Composite)
Design	Wood
Plank Length	48 inches
Plank Width	7 inches
Plank Thickness	5mm
Core Thickness	4mm
Texture	Wood Grain Embossed
Sqft/Box	27.87 sq.ft
Wear Layer	12mil
Edge Profile	Micro Bevel
Milling	Click Lock (Rapid Locking System)
Finish	UV Acrylic
Attached Pad	Y(1mm)
Certification	Green Guard Gold / Floorscore
Installation	Floating, Glue Down
Warranty	15 Year Residential / 7 Year Commercial



TRRRA GROVE







































SPECIFICATIONS





	COLD
Construction	100% Waterproof GeoCore (SPC Composite)
Design	Wood
Plank Length	48 inches
Plank Width	7 inches
Plank Thickness	5mm
Core Thickness	4mm
Texture	Wood Grain Embossed
Sqft/Box	27.87 sq.ft
Wear Layer	12mil
Edge Profile	Micro Bevel
Milling	Click Lock (Rapid Locking System)
Finish	UV Acrylic
Attached Pad	Y(1mm)
Certification	Green Guard Gold / Floorscore
Installation	Floating, Glue Down

Warranty

15 Year Residential / 7 Year Commercial



NEO-NOIR







































	COLD COLD
Construction	100% Waterproof GeoCore (SPC Composite)
Design	Wood
Plank Length	48 inches
Plank Width	7 inches
Plank Thickness	5mm
Core Thickness	4mm
Texture	Wood Grain Embossed
Sqft/Box	27.87 sq.ft
Wear Layer	12mil
Edge Profile	Micro Bevel
Milling	Click Lock (Rapid Locking System)
Finish	UV Acrylic
Attached Pad	Y(1mm)
Certification	Green Guard Gold / Floorscore
Installation	Floating, Glue Down
Warranty	15 Year Residential / 7 Year Commercial



NATURE EPIC COLLECTION

The rhythm of nature, entwined in my heart,

Floors like art, crafted with unmatched artistry.

Resilient and waterproof, with stone-plastic as its soul,

Smoothing surfaces, concealing imperfections anew.

Spring, summer, autumn, winter, quietly observe the seasons,

Cycles of the year, unwavering in purpose.

Home's warmth, laid out in flooring,

As time passes, feelings endure.

Email: info@eacosflooring.com

Tel: 734-846-9907

Website: www.eacosflooring.com